

Statistical bulletin

Deaths registered weekly in England and Wales, provisional: week ending 27 June 2025

Provisional number of deaths registered in England and Wales in the latest weeks.

Contact:
Population Health Monitoring
Group
health.data@ons.gov.uk
+44 1329 444110

Release date:
9 July 2025

Next release:
16 July 2025

Table of contents

1. [Main points](#)
2. [Deaths registered in England and Wales](#)
3. [Data on deaths](#)
4. [Data sources and quality](#)
5. [Related links](#)
6. [Cite this statistical bulletin](#)

1 . Main points

- In the week ending 27 June 2025 (Week 26 2025), 10,075 deaths were registered in England and Wales (including non-residents), a decrease from 10,411 in the previous week (Week 25 2025).
- The number of deaths registered were 5.3% lower than the expected number (568 fewer deaths).
- Influenza or pneumonia were involved in 11.7% of registered deaths (1,178 in total), while 0.7% involved coronavirus (COVID-19) (68 deaths).
- Influenza or pneumonia were the underlying cause of 2.9% of deaths (291 deaths), while COVID-19 was the underlying cause of 0.5% of deaths (49 deaths).
- Of deaths registered, 36.1% occurred within the previous seven days; the median time from death to registration was eight days.
- 11,505 deaths were registered in the UK.

The figures in this bulletin are based on the date a death was registered, which is usually later than the date it occurred. The number of days between a death happening and it being registered will be longer for deaths that are referred to the coroner. Read more in [Section 4: Data sources and quality](#).

2 . Deaths registered in England and Wales

In the week ending 27 June 2025 (Week 26), 9,473 deaths were registered in England and 579 were registered in Wales (Table 1).

Table 1: Deaths registered in England and Wales, week ending 27 June (Week 26 2025)

Week 26 2025	England and Wales (including non-residents)	England Wales	
Total deaths (all causes)	10,075	9,473	579
Difference compared with expected deaths	-568	-489	-80
Percentage change compared with expected deaths	-5.3	-4.9	-12.1

Source: Deaths registered weekly in England and Wales from the Office for National Statistics

Notes

1. Figures for "England and Wales" include non-residents. Therefore the sum of "England" and "Wales", which exclude non-residents, will differ from "England and Wales".
2. Based on date a death was registered rather than occurred. All figures are provisional.
3. The number of deaths registered in a week is affected when bank holidays occur.
4. A statistical model is used to estimate the expected number of deaths. The model accounts for changes in population size, age structure, and trends in mortality over time. Estimates for expected deaths, derived from the statistical model, are not whole numbers but have been rounded. The percentage change has been calculated from the unrounded numbers of expected deaths.
5. Changes to the process by which causes of deaths are scrutinised and certified (Death certification reform), including a statutory medical examiner system, came into force in England and Wales on 9 September 2024. Read more inSection 4: Data sources and quality.

Figure 1: Number of deaths from all causes was lower than expected in Week 26

Number of deaths registered by week, England and Wales, 24 June 2023 to 27 June 2025

Notes:

1. Figures include deaths of non-residents.
2. Registration data for 2023 are based on finalised mortality data. This has been published in our annual death registrations publication. All other figures are provisional.
3. The number of deaths registered in a week is affected when bank holidays occur.
4. A statistical model is used to estimate the expected number of deaths. The model accounts for changes in population size, age structure, and trends in mortality over time.
5. Changes to the process by which causes of deaths are scrutinised and certified (Death certification reform), including a statutory medical examiner system, came into force in England and Wales on 9 September 2024.

Download the data

3 . Data on deaths

[Deaths registered weekly in England and Wales, provisional](#)

Dataset | Released 9 July 2025

Provisional counts of the number of deaths registered in England and Wales, by age, sex, region and Index of Multiple Deprivation (IMD), in the latest weeks for which data are available.

Try the new way to filter and download these data:

- [Deaths registered weekly in England and Wales by age and sex](#)
- [Deaths registered weekly in England and Wales by region](#)

4 . Data sources and quality

We publish timely, provisional counts of death registrations in our provisional dataset. These are presented:

- by sex
- by age group
- by place of death
- by selected causes of death
- by Index of Multiple Deprivation (IMD) (for England)
- by Welsh Index of Multiple Deprivation (WIMD) (for Wales)
- for regions (within England)
- for Wales as a whole

Figures are published 12 days after the week's end to allow for processing. Each release includes updated death totals and revisions for past weeks based on new registrations.

Death registrations and occurrences

Weekly death registrations are revised over time to provide users with the most accurate data. Changes in numbers of death registrations in each period will usually show a minor increase or decrease. This can be because of:

- additional deaths having been registered, but not being available in the Registration Online (RON) system by the time data are extracted, either because of manual registrations that have not been entered into the RON or technical issues
- change of date of registration (because of an error at the registration office)
- de-duplication of death records (removal of an accidental double entry)
- cancellation of a registration (for instance, because of an error at the registration office)

Revisions to numbers of deaths by cause will likely be more pronounced, because cause of death is not always available at the time of the weekly publication. This is because text from the death registration must be converted to the International Classification of Diseases 10th Revision (ICD-10) codes for cause of death. Most deaths records (over 80%) have cause information available at the time of publication, and the remaining records are updated over time.

As more deaths are registered through the RON system, the number of known deaths for a period increases. Because deaths are only counted when registered, the totals are never final. The reported number of death occurrences depends on when data were extracted and increases as time between date of occurrence and data extraction increases.

The proportion of deaths registered in the same week they occur varies because of factors like doctors workloads, bank holidays and other closures of local registration offices, and other circumstances. Because of all these factors, the provisional death occurrence numbers for different weeks are not easily comparable, and past weeks' totals are revised with each update.

Death certification reform

Changes to the process by which causes of deaths are scrutinised and certified ([Death certification reform](#)), including a statutory medical examiner system, came into force in England and Wales on 9 September 2024.

Transitional arrangements in place in the days that lead up to this date means that there will be a small number of deaths registered from 9 September 2024 that still use the existing MCCD. The statutory medical examiner provides independent scrutiny of the cause of death identified by the attending practitioner, before death registration, for all non-coronial deaths.

Once the attending practitioner and the medical examiner have completed their certification and scrutiny, the medical certificate of cause of death (MCCD) is sent to the Register Office. The medical examiner then notifies the informant that they can register the death.

Death certification reform also introduces a new MCCD with new data fields, including:

- line 1d in the "cause of death" section, which brings the MCCD in line with international standards
- ethnicity of deceased, as self-declared by the patient on the medical record
- questions about whether the deceased was pregnant, and whether the pregnancy contributed to the death, which brings the MCCD in line with international standards

We will conduct analysis of these new data fields to assess their quality and use them in future mortality statistics.

The medical examiner medical certificate of cause of death (ME MCCD) allows medical examiners to certify natural deaths in rare cases where no medical practitioner is available. It applies when the cause of death is known, deemed non-coronial by a senior coroner, and helps avoid unnecessary post-mortems or uncertified deaths. More detailed information about Death certification reform will be provided in updates to our [User guide to mortality statistics](#) and [Mortality statistics in England and Wales quality and methodology information \(QMI\) report](#), alongside the 2024 edition of our Death registration summary statistics, England and Wales bulletin, publishing soon.

Registration delays

This bulletin is based mainly on the date that deaths are registered, not the date of death (date of occurrence). The number of days between death occurrence and registration depends on many factors and there might be longer delays sometimes (for example, deaths referred to the coroner). Read more in our [Impact of registration delays on mortality statistics in England and Wales: 2022 article](#).

Producing statistics based on date of registration are both timely and complete, however, this is not possible with statistics on date of death. It is important, however, to consider the limitations of using registration data over occurrence data. Measures of the average gap (or delay) between the date of occurrence and date of registration become important statistical quality metrics to help users understand this.

These quality metrics are provided in Table 4 of our accompanying [Deaths registered weekly in England and Wales, provisional dataset](#), and include:

- the number of deaths registered in the reference week (and therefore included in the figures), which also occurred within the previous seven days; for example, if a death was registered on 7 January, it occurred between 1 and 7 January
- the percentage of deaths registered in the reference week, which occurred within the seven days before the day of registration
- the median delay for all deaths registered that week
- the number of days taken to register the 25th and 75th percentile that week, meaning that if 10,000 deaths were registered that week, and all deaths were ordered according to length of delay from shortest to longest, the delay would be the 25th percentile and the delay up to the 7,500th death would be the 75th percentile

Before 9 September 2024, deaths should legally have been registered within five days of the death occurring or the date on which the body was found (including weekends and bank holidays), unless a coroner was involved.

We will continue to monitor registration delays as part of our ongoing assessments of the quality and timeliness of mortality data, including whether death certification reforms have an effect.

This is important because any change in registration delays in the weeks following 9 September could affect the interpretation of our statistics; for example, our excess deaths measure, where the observed number of registrations is compared with a statistically calculated expected number of deaths each week.

We have added additional breakdowns by certification type into Table 4 of our accompanying dataset to help monitor any impact of death certification reform on registration delays.

Excess mortality

Excess mortality is the difference between the observed number of deaths in a particular period and the number of deaths that would have been expected, based on historical data.

To estimate the expected number of deaths, we fit a quasi-Poisson regression model to aggregated death registration data. The statistical model provides the expected number of deaths registered in the current period, had trends in mortality rates remained in keeping with those from recent periods and in the absence of extraordinary events affecting mortality, such as the peak of the coronavirus (COVID-19) pandemic.

Our approach moves away from using averages drawn from raw numbers and instead uses age-specific mortality rates, accounting for how the population has grown and aged over time. The models also account for trends and seasonality in population mortality rates and allow for estimates of excess deaths to be broken down by age group, sex, constituent countries of the UK, and English region.

For further information on our methods to estimate excess deaths, see our [Estimating excess deaths in the UK, methodology changes: February 2024 article](#).

Underlying cause of death versus contributory causes

In this release, we discuss both deaths "involving" a particular cause, and deaths "due to" a particular cause. Those "involving" a cause include all deaths that had the cause mentioned on the death certificate, whether as the underlying or a contributory cause. Deaths "due to" a particular cause refer to the underlying cause of death.

Data coverage

The number of weeks in the year will affect how many days the data cover in the year. Leap years require a 53rd week to be added to the end of the calendar year. The last leap year was in 2024. It is more appropriate to compare 2024 figures with the average for Week 52 than with a single year from five years previously. Read more on the data coverage in this bulletin in [Section 1 of our Coronavirus and mortality in England and Wales methodology](#).

Classification codes

From the week ending 26 February 2021 (Week 9), new International Classification of Diseases codes for COVID-19 issued by the World Health Organization (WHO) were used for deaths involving COVID-19. Read more in our [Coronavirus and mortality in England and Wales methodology](#). Further information on data quality, legislation and procedures relating to mortality, and a glossary of terms, is available in our [User guide to mortality statistics methodology](#).

Data sources

The weekly figures that the Office for National Statistics (ONS) produces are for England and Wales only and are from the formal death registration process. They are published each week to provide users with timely data and capture seasonal trends. Data for Scotland and Northern Ireland are provided to us by the [National Records of Scotland](#) and the [Northern Ireland Statistics and Research Agency](#), respectively, to produce numbers and rates for the UK overall.

Index of Multiple Deprivation

The [Index of Multiple Deprivation](#) (IMD) and the [Welsh Index of Multiple Deprivation](#) (WIMD) are the official measures of relative deprivation for small areas in England and Wales, respectively. The two indices are not directly comparable.

Accredited official statistics

These [accredited official statistics](#) were independently reviewed by the Office for Statistics Regulation in February 2013. They comply with the standards of trustworthiness, quality, and value in the [Code of Practice for Statistics](#) and should be labelled "accredited official statistics".

Quality

More quality and methodology information on strengths, limitations, appropriate uses and how the data were created is available in our [Mortality statistics in England and Wales QMI](#).

5 . Related links

[Estimating excess deaths in the UK, methodology changes: February 2024](#)

Article | Released 20 February 2024

Overview of a new method for estimating excess deaths across UK countries, and a comparison of estimates from the new and current methods.

[Deaths registered in England and Wales: 2023](#)

Bulletin | Released 10 October 2024

Registered deaths by age, sex, selected underlying causes of death and the leading causes of death. Contains death rates and death registrations by area of residence and single year of age

[Death registration summary statistics, England and Wales: 2024](#)

Bulletin | Released 20 May 2025

Number of deaths registered by year, sex, area of usual residence and Office for National Statistics (ONS) shortlist of cause of death code.

[Excess deaths in England and Wales: March 2020 to December 2022](#)

Article | Released 9 March 2023

Number of excess deaths, including deaths due to coronavirus (COVID-19) and due to other causes. Includes breakdowns by age, sex and geography.

6 . Cite this statistical bulletin

Office for National Statistics (ONS), released 9 July 2025, ONS website, statistical bulletin, [Deaths registered weekly in England and Wales, provisional: week ending 27 June 2025](#)